"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5

L 55890-65 EWT(1)/EWT(m)/FCC/EWG(v)/EEC-4/EWP(j)/EEC(t)/EWA(h) Pc-4/Po-4/Pe-5/Pq-4/Pae-2/Peb/F1-4 RM/GW

ACCESSION NR: AR5014437

UR/0169/65/000/005/B010/B010 551.508

SOURCE: Ref. zh. Geofizika, Abs. 5B82

AUTHOR: Avdeyev, A.I.; Fridzon, M.B.; Kalinin, V.N.

TITLE: The protection of temperature sensors against radiation

CITED SOURCE: Sb. 150 let Meteorol. observ. Kazansk. un-ta. Kazan', Kazansk. un-t. 1963, 200-212

TOPIC TAGS: meteorological instrument, temperature sensor, stratosphere, antiradiation coating, radiation error, silver passivation, silver reflectivity, lacquer coating, aluminum reflectivity

TRANSLATION: Silver applied to a polished base has the best reflecting properties of all the coverings used for the protection of stratospheric temperature sensors against radiation. However, silver is unstable under the influence of atmospheric factors. The authors have investigated several methods for maintaining a high reflectivity of silver by its passivation by chromic anhydride and by application of a protective coating. The reflectivity of samples stored for 15 to 20 days in the open air and under room conditions were determined in the wave-length interval 0.2-10 microns. The results of the

of the silver layer by does not result in a do long-term protection which has been developossible a considerab to the study of silver of an aluminum layer	hat lacquers B-1 and AV-4, as well as silicond cannot be recommended for anti-radiation chromic anhydride and the application of a necrease of the reflection coefficient and such of the silver against atmospheric factors. Oped for the processing of the metal parts of ole reduction of the radiation error in measu coatings, an investigation was made of the result of the solar energy falls. Although aluminum than silver coatings, the cheapness and state or of meteorological integrals.	rprocessing provides The technical process the sensors makes rements. In addition radiation characteristics region 0.6-0.9 microns coatings have poorer
SUB CODE: ES	ENCL: 00	— Sanca

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5

L 55891-65 EWT(1)/FCC GW

ACCESSION NR: AR5014436

UR/0169/65/000/005/B010/B010 551.508.2

SOURCE: Ref. zh. Geofiziks, Abs. 5B81

B


AUTHOR: Avdeyev, A.I.; Fridzon, M.B.; Kalinin, A.I.

TITLE: Some methods and results of experimental investigations of sensors of meteorological elements

CITED SOURCE: Ref. zh. Geofizika, Abs. 5B81

TOPIC TAGS: meteorological instrument, thermometer design, resistance thermometer, radiation error, atmospheric temperature

TRANSLATION: Platinum resistance thermometers of both framework and openwork types have been developed. The thermometer is designed for ballon sounding of the atmosphere. It is manufactured from platinum wire 0.03-0.05 mm in diameter. The sensing element is attached by a capron filament to a silvered steel frame constructed of wire 2 mm in diameter. Tests have shown that at a height of about 3,000 m the radiation error has a value of about 0.3-0.4C and the thermal inertia is 0.2 sec. The thermometer readings are recorded by a measuring instrument, the basis of which is a bridge circuit



BREDIKIS, Yu.I., kand. med. nauk; FRIDZON, M.G. (Moskva)

Use of electrical stimulation of the heart in Morgagni-Adams-Stokes syndrome developing against a background of severe diabetes mellitus. Probl. endok. i gorm. 9 no.5:85-88 S-0'63 (MIRA 16:12)

1. Iz kliniki fakul tetskoy khirurgii imeni S.I.Spasokukotskogo (dir. - akademik A.N. Bakulev) II Moskovskogo meditsinskogo instituta imeni N.I.Pirogova.

L 34828-65 EWI (1)/EPF(c)/EPF(n)-2/ Pr-4/Pu-4 LJP(c) WW ACCESSION NR: APS007457 S/0286/65/300/004/0077/0077

AUTHORS: Pashkovskiy, B. A.; Fridzon, H. G.

0

TITLE: Device for temperature measurement. 10 Class 42, No. 168499

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 4, 1965, 77

TOPIC TAGS: temperature measurement, temperature gage, temperature sensitive element

ABSTRACT: This Author Certificate presents a device for temperature measurement containing a high-frequency oscillation generator and a tank circuit consisting of an inductance coil and capacitor, used as the temperature sensing element. For automization and continuity of measurements, the tank circuit is in the feedback circuit of the generator (see Fig. 1 on the Enclosure). Orig. art. has: 1 diagram.

ASSOCIATION: none

SUBMITTED: 010ct62 NO REF SOV: 000 ENCL: 01

OTHER: OOO

Card 1/2

SUB CODE: TD, EC

The second section of the second seco

AVDEYEV, A.I.; KALININ, V.N.; FRIDZON, M.V.

Protection of thermoreceivers from the thermal action of solar radiation when measuring temperature at great heights. Trudy TSAO no.41:86-90 '62. (MIRA 16:10)

ZEFIROVA, G.S.; FRIDZON, R.G.

Pregnancy and labor in Addison's disease. Akush. i gir. no.1: (MIRA 18:10)

1. Kafedra endokrinologii (zav.- prof. Ye.A. Vasykova) TSentral'... nogo instituta usovershenstvovaniya vrachey (dir.- M.D. Kovrigina) i rodil'nyy dom No.25 (glavnyy vrach Ye.A. Sitnikova), Moskva.

FRIE, Fridrich

Nitrogen determination by the Kjeldahl method without distillation (A contribution to nitrogen determination in plant and biological material). Biologia 16 no.12:918.920 361.

1. Biologicky ustav Slovenskej akademie vied, Oddelenie fyziologie rastin v Bratislave.

(NITROGEN chemistry)

Н

FRIEBCL, L.

POLAND / Chemical Technology. Chemical Products and Their Application. Instruments for Control and Measurement and Automation.

Abs Jour: Ref Zhur-Khimiya, No 9, 1959, 31649.

Author : Friebol, E. Inst : Not given.

Title : Not given.

Title : Drum Measuring Devices for Volumes of Liquids.

Orig Pub: Pomiary, automat., kontrola, 1957, 3, No 11,

429-431.

Abstract: The principle and structure of drum gauges (DG) for measuring volumes of liquids is described.

General problems of the accuracy of measuring with the aid of DG, and the source and extent of errors, are examined. A number of graphs

are introduced, portraying the influence, on the measuring accuracy, of the configuration

Card 1/2

- ucknimmona. H-3: Poland dematry Category 46104 .os. Jour. : Friebel. E. aut........... Lastitut. : Liquid Volume Drum-Meters. Part II. Title Orig. Pub. : Pomiary, automat. kontrola, 1957, 3, No 12, 470-473 Approach : Extensive use of drum-meters (DM) was furthered by the basic characteristics of this apparatus: a) wide measurement-range of liquid flow rate, 50-12000 liter/hour;
b) high accuracy (± 0.5%) and sensitivity, which are retained over a great length of time for measurements ranging up to 1:100; c) dependable operation and the possibility of manufacturing the parts of DM which are in contact with the liquid, from corrosion resistant materials (ceramics). Hence DM are used to measure acids and alkalies, alcohols, benzene, gasoline, acetone, carbon disulfide, molasses, fruit juices, and also contaminated and viscous liquids. A description is Gard: 1/2

Damping arrangement for a regulator.. \$\frac{5}{196}\frac{62}{000}\frac{012}{015}\frac{016}{016}\$

stage of the cascade. Because of its voltage displacement the choke achieves the necessary phasing of rectification. The circuit can be used to operate with running times of about 15 seconds whilst turning a control handle through 90°.

Abstractor's note: Complete translation.

VB

Card 2/2

RYCHETSKY, Ladislav, inz.; FRIEBEL, Vilem

Securing the development of complex automation. Automatizace 7 no. 3:57-59 Mr 164.

1. Zavody prumyslove automatizace, Praha.

Wise of intensity in the less discults. Contactione 7 no.10; Supplement: 161-168 0 '64.

RYCHETSKY, L., 102.4 FRIENCE, Vilon

First National Conference on Might Flow Scatter Tevroles
Automatizace 8 no.1:5 Ja '65.

FRIEBEL, Vilem

New standardized series of orifice fittings. Automatizace 8 no.1: 11-14 Ja '65.

1. Zavody prumyslove automatizace National Enterprise, Prague.

FRIEBOVA, Z.; JELINEK, R.

Proliferation into the central nervous system of chick embryos. III. Mitotic activity in the encephalic pouches between the 2d and 6th day of incubation. Cask. morf. 11 no.3:229-236 163.

1. Zubni oddeleni polikliniky v Hlinsku, anatomicky ustav Karlovy university v Praze.

(CENTRAL NERVOUS SYSTEM) (CELL DIVISION)

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5

The second secon

KRYSL, J.; technicka spoluprace FRIEBOVA, Zd.

Filing roentgenological findings with the aid of edge punched cards. Cesk. rentgen 17 no.2:108-115 Hr 163.

1. Klinicka zakladna rtg-katedry UDL nemocnici v Praze na Bulovce, prednosta MUDr. J. \$lanina.

(PUNCHED CARD SYSTEMS) (RADIOGRAPHY)

JELINEK, R.; FRIEBOVA, Z.

Central nervous system proliferation in the chick embryo. IV. Sborn. lek. 67 no.12:359-367 D * 65.

1. Anatomicky ustav fakulty vseobecneho lekarstvi University Karlovy v Praze (prednosta - prof. MUDr. et RNDr. L. Borovansky, DrSc.)

FRIED, A.; SRDINKA, V.; TAUBER, M.

Cholelithiasis and gastric chemistry. Gastroenterologia bohema 4 no.2-4:216-220 Oct 50. (CIML 20:5)

1. J.Jessenius and Marie Curie Sanatorium (Head--Andrej Fried, M.D.) of the Czechoslovak State Spa (General Director---R.Bures, M.D.) in Karlove Vary.

"APPROVED FOR RELEASE: 06/13/2000 CIA-

CIA-RDP86-00513R000513720017-5

KOVAROVIC, J.; FRIED, A.

Blood modifications following infectious hepatitis. Voj.zdrav. listy
19 no.11-12:266-267 Nov-Dec 50. (CIML 20:5)

FRIED, A.

Carbohydrates metabolism following gastric resection for carcinoma. Sborn. pathofysiol. trav. vys. 6 no. 4-6:298-299; Dec 1952. (CLML 24:1)

1. Karlovy Vary.

FRIED, Andrej

Viewpoint of the spa physician in regard to indications & contraindications of spa therapy at Karlovy Vary. Cas. lek. cesk. 97 no.18:568-570 2 May 58.

1. Karlovy Vary, Lazenska lecebna Jesenius.

(MINERAL WATERS, ther. use


sulfur waters at Karlovy Vary, Czech., indic. & contraindic.

(Cz))

BANKI, Dezeo; BARTHA, Jozsef; HEGEDUS, Jozsef, okleveles villamosmernok; TOTH, Otto; FRIED, Arnold; UNK, Janosne; FOLDEAK, Gabor; NIEWELT, Ferenc; KUCZOGI, Endre

Remarks about Aurel Felkai's entitled "Experiences with the operation of the Hungarian-manufactured heavy-current cables and lines." Villamossag 8 no.2-3:60-62 F-Mr *60.

1. Budapest Fovaros Elektromos Muvei vezeto mernoke (for Banki).
2. Lenin Kohaszati Muvek energia gyarreszlege fomernoke (for Bartha). 3. Orszagos Banyamuszaki Feldgyeloseg (for Hegedus).
4. Borsodi Vegyi Kombinat foenergetikusa; Nehezipari Miniszterium Nehezvegyipari Foosztalya kepviseleteben (for Toth). 5. EM
Szereloipari Tervezo Vallalat, Sztalinvaros (for Fried).
6. EM Szereloipari Tervezo Vallalat (for Unk). 7. Magyar
Asvanyolaj es Foldgazkiserleti Intezet (for Foldeak).
8. Villamosgep es Kabelgyar (for Niewelt). 9. Orszagos
Villamosgenergia Felugyelet (for Kuczogi).




FKIED, [
	Fried, E. Über els echte Quotiontenkörper darstellbare Körper. Acta Sci. Math. Szeged 15, 143-144 (1954). A field K is representable as a true quotient field if K contains a domain of integrity $I \neq K$ and K is the quotient field of I. It is proved, without the use of the evaluation theory, that K is representable as a true quotient field if and only if K is not an algebraic extension field (finite or infinite) of a finite field. F. Kiokemeister.	I-F/A

FRIED, E.

"Linear combinations of roots."

Kozlemenyei, Buddpest, Vol 4, No 1, 195%, p. 155

SO: Eastern European /ccessions List, Vol 3, No 10, Oct 195%, Lib. of Congress



FRIED, Ervin, a matematikai tudomanyok kandidatusa

Open debate about Gyorgy Gratzer's dissertation for candidacy.

Mat kozl MTA 11 no.4:457-458 '61.

Open debate about Tamas E. Schmidt's dissertation for candidacy.

Mat kozl MTA 11 no.4:458-459 '61.

HAJOS, Gyorgy; KALMAR, Laszlo; SURANYI, Janos; TURAN, Pal; FOSA, Lajos; DE BRUJIN, N.G. (Amsterdam, Holland); SARKADI, Karoly; FRIED, Ervin; WIEGANDT, Richard; ERDOS, Pal

Mathematical problems. Mat lapok 12 no.3/4:253-258 '61.

- 1. "Matematikai Lapok" szerkesztoje (for Hajos and Kalmar).
- 2. "Matematikai Lapok" felelos szerkesztoje (for Turan).

FRIED, Ervin

Remarks on the introduction of complex numbers. Mat lapok 14 no. 1/2:103-106 163.

CSASZAR, Akos; ERDOS, Pal; TURAN, Pal; KARTESZI, Ferenc; FRIED, Ervin; WIEGANDT, Richard; CSIPSZER, Janos; KALMAR, Laszlo; KONCZ, Karoly; MAJTHAY, Antal; BOGDAN, Zoltan; HAJNA, Janos; HETYEI, Gabor; SURANYI, Janos

Mathematical problems. Mat lapok 14 no.1/2:163-169 '63.

l. "Matematikai Lapok" felelos szerkesztoje (for Turan). 2. "Matematikai Lapok" szerkeszto bizottsagi tagja (for Kalmar),


"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5

CSASZAR, Akos; FRIED, Ervin; FUCHS, Laszlo; HAJOS, Gyorry; RENYI, Alfred; TURAN, Pal

Report on the 1962 Miklos Schweitzer Memorial Contest on Mathematics. Mat lapok 14 no. 3/4:346-371 163.

1. Editorial board member, "Matematikai Lapok" (for Hajos and Renyi). 2. Managing editor, "Matematikai Lapok" (for Turan).



DEREVICI, V., ing.; FRIED, G.

Fastening of footwear soles by gluing. (Conclusion). Industria usoara 3 no.12:491-495 D '56.

こうしょうしょ アンカンガールド かんしまごうちゃん いかっちんないかかん とかないないはれていました

DEREVICI, V., ing.; FRIED, Gg.

Waste vegetable skins as substituting material for the manufacture of footwear heels. Industria usoara 3 no.2:58-59 F '56.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000513720017-5"

DEREVICI, V., ing.; FRIED, Gh.

Fastening of fcotwear soles by gluing. I. (To be contd.). Industria usoara 3 no.11:447-452 N '56.

· Land on Englishmen speaks 2 speaks 2

SZEP, Ivan; FRIED, Henrik; PINTER, Janos

Some manufacturing problems of germanium junction transistors; also, remarks by H.Fried and J.Pinter. Muszaki kozl MTA 26 no.1/4:183-184 60. (EKAI 9:10)

1. Hiradastechnikai Kutato Intezet, Ujpest (for Szep)
(Transistors) (Germanium)

a of proceedings white existing existing the contraction of the contra

H/009/61/000/004/004/005 D018/D105

AUTHOR:

Fried, Henrik, Member of the Society (see Association)

TITLE:

Development of the Hungarian television picture tube pro-

duction and the picture tube plant at Vác

PERIODICAL:

Magyar Hiradastechnika, no. 4, 1961, 158-163

TEXT: The article summarizes the main phases and aspects of experiments preceding the domestic development and mass production of picture tubes and describes the machines and equipment of the television picture tube plant at Vác, in particular the design of the conveyorized line, an original product of the "Tungsram" Plant and of the Vákuumtechnikai Gépgyár (Vacuum Machine Plant) in Budapest. The first cathode ray tubes were developed by the Távkozlési Kutató Intézet (TKI) (Telecommunication Research Institute) in 1949. In 1953 this institute worked out the material for fluorescent coating consisting of zinc sulfide and zinc cadmium sulfide activated with silver. The Soviet picture tube specifications put at the disposal of Hungarian manufacturers were of little use to the designers at Vác, due to different Soviet and Hungarian types and production volume and also due to Card 1/3

to Usus against a surface and a surface and

H/009/61/000/004/004/005 D018/D105

Development of the Hungarian television

the fact that the USSR had not yet fully developed the picture tube mass production machines at that time. The Hungarian manufacturers could only make use of the Soviet envelope washing machine. The first Hungarian picture tube developed in 1955 and based on the Soviet 31LK2B picture tube never entered mass production because it was outdated at the time its development was completed. Efforts of the "Orion" Gyar (Plant) to produce picture tubes on a large scale both for the domestic market and export failed, due to the difficulties experienced with the screen aluminizing process. The picture tube pilot plant, a section of the ME plant /Abstracter's note: ME not defined 7 of Egyesült Izző (United Incandescent), carried out small series production of picture tubes until the picture tube plant in Vác was put into operation in 1960. The Vác plant consists of an assembly shop, a components section, a chemical shop and a power plant. Glass envelopes are produced at the glass factory in Nagykanizsa. The metallic electronic parts, as well as the material for fluorescent coating are produced at the plant. The existing vacuum installation has 62 individual pumping units, while the second installation to be supplied by United Incandescent in Budapest will have 74 such units. The conveyorized line is

Card 2/3

Development of the Hungarian television H/009/61/000/004/004/005 D018/D105

used for various picture tube manufacturing processes between the vacuum installation and the final testing section, i.e. for basing, high-voltage sparkover test, gas ratio measuring, electric cathode formation, electric parameter measuring, and illuminated screen checking. A second conveyorized line of the same design, destined for the Vác plant, is in production. There are 11 figures.

ASSOCIATION:

Hiradástechnikai Tudományos Egyesület (Communication Scientific Society) and Egyesült Izzó lámpa és Villamossági Rt. (United Incandescent Lamp and Electric Company).

Card 3/3

FRIED, Henrik

Development of the Hungarian television picture tube manufacture and description of the factory for picture tubes in Vac. Magy hir techn 12 no.4:158-163 Ag '61.

1. Hiradastechnikai Tudomanyos Egyesulet tagja; Egyesult Izzolampa es Villamossagi Rt.

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5

FRIAN. Hem th, hosenta-injas

Role of minromentpulations in manufacturing centrolitic to rest.
Finormomentha 4 mo.3:87:90 fm 165.

1. Scientific Mivision Chief, Research Institute of Telecorrultation Engineering Industry, Rudapest.

FOLDES, I.: BEREGI, E.: FRIED, J.

The effect of intestinal extracts on the sorts of dogs and rabbits.
Kiserletes orvostud. 4 no. 5:356-360 Oct 1952. (CIML 23:5)

1. Doctor for Foldes and Beregi. 2. First Institute of Pathological Anatomy and Experimental Cancer Research, Budapest Medical University.

SVOBODA, Adolf, MUDr.; FRIED, Karel, MUDr.; KUNC, Zdenek, Doc., MUDr.

Subdural arachnocele. Cesk. neur. 19 no.3:180-184 Aug 56.

1. Nervove oddeleni CUNZ v Kladne. -Roentgenologicke oddeleni CUNZ v Kladne. Neurochirurgicke oddeleni UNZ v Praze.

(ARACHNOID, dis.

arachnocele, subdural, diag. & surg. (Cz))

FRIED

SLOVANIA / Diseases of Farm Animals. Diseases Caused R-2 by Helminths.

Abs Jour: Ref Zhur-Biol., No 2, 1958, 7322

Author : K. Fried, J. Knezik, J. Duchaj, J. Jilek.

Inst : Not Given

Title : Certain Data on the Strongylidosis of Colts in

Slovakia.

Orig Pub: Veterinarstvi, 1957, 7, No 4, 108-109 (Slovatsk.).

Abstract: The disease is widespread in various regions of

Slovakiya, and affects primarily colts three to nine weeks old. Its causal agent is Strongyloides westeri. A case is described of a mass illness of colts on one farm and the measures taken in the

fight against this invasion.

يراهيا ويجبوها مطعط فيحتها فالك

Card 1/1

18

FRIED K. MEDICA Soc.14 Vol.12/5 Radiology Hay 1958

APPROVED FOR RECEASEF 08/13/2000 FL GIA-RDPS6-Q0513R00051372001 diagnostice mnohočetného myelomu - Fried K., Marx F. and Teich-Mann V. Rtg Odd. OUNZ, Kladne; Rtg Odd. Fak. Poliklin., Praha; Rtg Odd. II Int. Klin., Praha - CAS. LEK. CES. 1957, 96/31 (989-993) Illus. 8 The authors have attempted to solve several questions of importance in the X-ray diagnosis of multiple myeloma on the basis of an analysis of 42 verified observations. Their conclusions are: (1) a precise classification of the manifestations of multiple myeloma is not possible; (2) pathognomonic manifestations of myeloma in the X-ray picture do not exist, with the exception of typical destruction of the spine; (3) localization in various parts of the skeleton to a certain degree influences the character of the manifestations of myeloma. The authors' diagnostic analyses of X-ray signs is supplemented by remarks on differential diagnosis and on some of the clinical characteristics with localization of multiple myeloma in the vertebral column.

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5

FRIED, K.; PATEK, V1.; NOVAK, V.

Considerations on the problem of Caplan's syndrome. Cesk. rentg. 15 no.1:65-68 F '61.

1. Radiologicke oddeleni CUNZ-Kladno, prednosta MUDr. Fried Revmatologicka ordinace pri I. int. oddeleni CUNZ-Kladno, prednosta MUDr. Jindrak.

(SILICOSIS radiog) (ARTHRITIS RHEUMATOID radiog)

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5

FRIED, K.

Osteochondrosis of the metatarsel joint of the toe. Casa. radiol. 19 no.1: 41-47 Ja 165

1. Radiologicke oddeleni Obrodniho ustavu narodniho zdravi v Kladne (vedouci - MUUr. K. Fried).

作民性りょち

SURNAME, Given Names

Country: Czechoslovakia

Academic Degrees: Dr

Department of Clinical Diagnosis and Internal Diseases, First Veterinary
Affiliation: Faculty, Graduate School of Agriculture (Katedra klinickej diagnostiki a
vnutornych chorob I. veterinarakej fakulty VSP /Vysoka skola polnohospodarska

Source: Prague, Veterinarstvi, Vol 11. No 8, Aug 1961; pp 298-300

Data: "Rediologic Diagnosis of Poultry Asceriasis"

FRIED, K. , Prof JANTOSOVIC, J.

CIA-RDP86-00513R000513720017-5" APPROVED FOR RELEASE: 06/13/2000

FRIED, K.; SALAYOVA, J.

Treatment of dermatitis following irradiation. Prakt. lek., Praha 33 no. 14:325-326 20 July 1953. (CIML 25:1)

1. Of the Radiological Department (Head-K. Fried, M.D.) of OUNZ Kladno.

9-

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000513720017-5"

FRIED,K.

Management of x-ray films and contrast materials. Cesk.rentg. 14 no.5:341-346 0 160.

1. Radiologicke oddeleni OUNZ - Kledno, prednosta MUDr, K.Fried. (RADIOGRAPHY)

FRIED, K

Pseudotumors of the bone. Cesk.rentg. 15 no.2:101-111 A '61.

1. Radiologicke oddeleni CUNZ Kladno, prednosta MUDr. K. Fried.
(BONE AND BONES neoplasms)
(EXOSTOSES radiography)

FRIED, K.


Osseous pseudotumors. Cesk. rentg. 15 no.3:167-185 '61.

(BONE DISEASES radiog)

A system of card-indexes of roentgen findings using the decimal system. Cesk. rentgenol. 15 no.4:284-286 '61. 1. Radiologicke oddeleni nemodnice, Kladno. (RADIOGRAPHY) (MEDICAL RECORDS)

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5



with the contrading the product about the membrane matter the


DEAK, Pal, dr.; FRIED, Lasslo, dr.

Cistobil cholecystography. Magy. radiol. 8 no.3:163166 Aug 56.

1. A Peterfy Sandor utcai Korhaz-Rendelointezet (igazgato:
Lendvai, Jossef, dr.) Rontgenosztalyanak (foorvos: Deak, Pal, dr.)
koslemenye.

(CHOLECYSTOGRAPHY
contrast media, cistobil, comparison with sodium
iodipamide (Hun))

(CONTRAST MEDIA
cistobil in cholecystography, comparison with
sodium iodipamide (Hun))



TRIED, Inszlo, Dr.; MATTUS, Iajos, Dr.

Isolated spleen tuberculosis. Orv. hetil. 99 no.12:411-414 28 Mar 58.

l. A Fovarosi Tetenyi uti Korhaz (igazgato: Zellner Pal dr. foorvos)
Rontgenosztalyanak (foorvos: Deak Pal) es Sebeszeti Osztalyanak
(foorvos: meszaros Karoly dr.) kozlemenye.

(TUBERCULOSIS, SPLENIC, case reports

(Hun))

BALLA, Ildiko, dr.; FRIED, Laszlo, dr.

Contribution to the pathogenesis of Charcot's joint. Magy. radiol. 11 no.4:249-253 N 159.

1. Tetenyi uti Korhas (igazgato: Zellner Pal dr.) Rontgenosztalyanak (foorvos: Deak Pal dr.) kozlemenye. (JOINTS dis)

FRIED, Laszlo, dr.

The bone structure in Klippel-Trenaunay syndrome and in some other peripheral circulatory diseases. Magy. radiol. 14 no.5:257-268 S '62.

1. Az Orszagos Orvostovabbkepzo Intezet Tanszeke (Vezeto: Deak Pal dr. egyetemi tanar).

(BONE DISEASES)

MATE, Karoly, dr.; FRIED, Laszlo, dr.

On giant gastric ulper in old age. Orv. hetil. 105 no.24: 1114-1118 14 Je'64

1. For-rosi Tanacs, Tetenyi uti Korhaz, III. Belosztaly es Orvostovabbkepzo Intezet, Rontgenologiai Tan zek.

IVANYI, Janos, dr.; FRIED, L.; MATE, K.

Ulcerative diseases in old age. Orv. hetil. 105 no.34:1627
23 Ag '64.

FRIED, Robert, prof. d-r

On listeriosis. Med. arh., Sarajevo 12 no.3:57-65 My-Je '59.

1. Institut sa mikrobiologiju Medicinskog fakulteta u Sarajevu. (LISTERIA INFECTIONS)

FRIED, Robert, prof. d-r

Problem of intestinal bacterial flora and "dysbacteriosis".

Med. arh. Sarajevo 13 no.4:1-6 J1-Ag 159.


1. Institut za mikrobiologiju Medicinskog fakulteta u Sarajevu, sef: prof. d-r Robert Fried. (INTESTINES microbiol.)


	•	. Allanda.	Constant of the constant of th	8	<i>‡</i>
8 No. 8 5, 1954	. Chemistry	nonelectro Jiří Pick, Czech J. 641.—A r ences.	ipto solutions. Educard and Voitech Fried (Vyso Chem. Listy 47, 110 eview with math. considerations)	Hala, Otakar Vilim, ka ikola chem. Prastic. 1-12(1953); cf. tbid. ierations and 30 refer- M. Hudlick	
			d	# 10/18/27	V .
	•	·		, make r	
				·	
	cal Abst. 18 No. 8 25, 1954 al and Physical	8. No. 8	Liquid-nonelectro B No. 8 15, 1954 11 and Physical Chemistry Carech, 041.—A rences.	Liquid-vapor equilibrium. III. B No. 8 15, 1954 Liquid-vapor equilibrium. III. nonelectrolyte solutions. Eduard Czech.). Chem. Listy 47, 110 641.—A review with math. considered. ences.	B No. 8 Jiff Pick, and Voitch Fried (Vysoká Ikola chem. Prague. Czech.). Chem. Listy 47, II01-12(1953); cl. 101a. Odl.—A review with math. considerations and 30 refer-


HALA, R.; FRIED, V.; PICK, J.; VILIM, O.


Equilibrium in the system liquid -- vapor. Part.4. General equation for the dependence between activity coefficients and the composition of the liquid phase. Sbor.Chekh.khim.rab. 19 no.1:16-23 F 154. (MLRA 7:6)

1. Kafedra fizicheskoy khimii, Prazhskogo Khimicheskogo Instituta. (Phase rule and equilibrium) (Activity coefficients)









FRIED V.

5(4)

PHASE I BOOK EXPLOITATION

CZECH/2501

Hála, Eduard, Jirí Pick, Vojtěch Fried, and Otakar Vilim

PETITION TO THE PETITION OF TH

Rovnováha kapalina-pára (Liquid--Vapor Equilibrium) Praha, Nakladatelství Ceskoslovenské Akademia Wad, 1955. 321 p. (Series: Československá Akademie ved. Studie a prameny. Sekce chemická, sv. 10) Errata slip inserted. 38,600 copies printed.

Scientific Ed.: Jan Pinkava, Doctor, Engineer; Resp. Ed.: Jaroslav Vacha, Doctor.


Full English translation under the title Vapor-Liquid Equilibrium [Translator: G. Standart] published in 1958 by Pergamon Press Ltd. Library of Congress call number: TP156,E65R613.

Card 1/1

11-10-59


"APPROVED FOR RELEASE: 06/13/2000


CIA-RDP86-00513R000513720017-5




"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5







CZECHOSLOVAKIA/Therman mamica. Thermochemistry. Equilibria. Physica- E-S Chemical Analysis. Phase Transitions.

Abs Jour : Ref Zhur - Khimiya, No 8, 1957, 26107

Author : Eduard Hala, Vojtech Fried, Jiri Pick, Otokar Vilim

Title : Equilibrium Liquid - Vapor. XIV. Activity Factors and Physical


Properties of Pure Components.


Orig Pub : Chem listy, 1956, 50, No 3, 343-348


Abstract: The authors proposed a new method of computation of the dependence of the activity factor on the composition of the liquid mixture. This method always permits to carry out the computation for a complete group of substances on the basis of the known behavior of standard binary systems and parachors of given components. Following relations were deducted basing on certain assumptions: $A_{1}^{0} = A_{1}^{0} = A_{1}^{0} - K \cdot (N_{1} - N_{1}) - K \cdot (N_{$

RZhKhim, 1956, 77532 for the report XIII.

Card : 1/1







CZECHOSLOVAKIA / Physical Chemistry. Thermodynamics. B
Thermochemistry. Equilibria. PhysicoChemical Analysis. Phase Transitions.

Abs Jour: Ref Zhur-Khimiya, No 17, 1958, 56746.

Author : Jakubicek Josef, Fried Vojtech, Vahala Josef.

Inst : Not given.

Title : Phase Equilibria in the Systems 2-Methoxyethan-

ole - Ethyyl-Benzene - Styrene and 2-Methoxy-

ethanole - Aqua.

Orig Pub: Chem. listy, 1957, 51, No 8, 1422 - 1428.

Abstract: Attempting to separate styrene and ethylbenzene, occurring in a liquid dehydrogenation product, the authors investigated the liquid - vapor

the authors investigated the liquid - vapor equilibrium at a pressure of 62 millimeters of the mercury column by applying 2-methoxyethanole (methylcellosolve, I) as a third component.

Card 1/5

12

CZECHOSLOVAKIA / Physical Chemistry. Thermodynamics. B
APPROVED FOR RELEASE::m06/458/2000 EQBA-RDP86-00543R900513720017-5
Chemical Analysis. Phase Transitions.

Abs Jour: Ref Zhur-Khimiya, No 17, 1958, 56746.

Abstract: The data on the systems ethylbenzene - styrene, I - ethylbenzene and I - styrene were submitted. The constants in the Van Laar equations were calculated for all the systems. The behavior of the system ethylbenzene - styrene is practically ideal. The constant C for the tertiary system has been calculated from the binary system constants by applying the Vol Law: C = 0.5 (0.591 - 0.755 / 0.475 - 0.685) - 0.187. The relative volatility values have been calculated from the activity coefficient, and from the former — the equilibrium compostion of the liquid and vapor phases of the tertiary system. The calculations have been verified by measurements.

Card 2/5

CZECHOSLOVAKIA / Physical Chemistry. Thermodynamics. B Thermochemistry. Equilibria. Physico-Chemical Analysis. Phase Transitions.

Abs Jour: Ref Zhur-Khimiya, No 17, 1958, 56746.

Abstract: I - ethylbenzene possesses an azeotropic point:
The composition of the azeotropic mixture at
62 millimeters of the mercury column is 42.1
mole percent I, and the boiling point 51.9°C.
The system I - styrene forms an azeotrope with
a composition of 57.9 mole percent I and a
boiling point 56.8°C, at the same pressure. No
tertiary azeotrope was observed. The azeotropic
mixture I - ethylbenzene was obtained on a test
column (25 theoretical plates) by continuous
vacuum purification; the I - styrene mixture
was taken from the hot-water boiler. The system H₂O - I forms an azeotropic mixture with

Card 4/5

ARPRONED FOR BELEASE 106/13/2000 ry. CIATRORS 6102513R000513720017-5

Thermochemistry. Equilibria. Physico-Chemical Analysis. Phase Transitions.

Abs Jour: Ref Zhur-Khimiya, No 17, 1958, 56746.

Abstract: 94.5 mole percent H₂O, boiling point 99.2°C at 752 millimeters of the mercury column, 98.7 mole percent H₂O and boiling point 51.5°C at 100 millimeters of the mercury column. The application of I as a third component permits the reduction of the number of plates, necessary for the separation of styrene, which is reduced from 36 to 20, but which however, complicates the separation process.

CZECHOSLOVAKIA / Physical Chemistry. Thermodynamics. B
Thermochemistry. Equilibris. Phase
Changes. Physico-chemical Analysis.

Abs Jour : Ref Zhur - Khimiya, No 12, 1959, No. 41572

of the above expression may be expressed by the following type of equation: lgn $E = X_1X_2 / b + c(X_1 - X_2) + d(X_1 - X_2)^2 + ...$ where b, c and d are constants which can be determined from the experimental data. The number of necessary constants may be found from a plot of lgn E vs X_1X_2 . When the number of constants is equal to zero, the system behaves ideally. From cited examples, the system CCl_1 -benzene is an ideal one, while the benzene-cyclohexane system may be described by means of one constant. Two constants were utilized for

Card 2/3

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000513720017-5

CZECHOSLOVAKIA / Physical Chemistry. Thermodynamics.
Thermochemistry. Equilibris. Phase
Changes. Physico-chemical Analysis.

Abs Jour : Ref Zhur - Khimiya, No 12, 1959, No. 41572

a mixture of acetone and ethanol. Three constants were required for the system CH_3OH -dichloroethane. A relationship between the excess viscosity and excess free enthalpy, ΔGE : $-\ln \eta E = \Delta GE/2.45$ RT, was deduced from Eyring's Theory. It is presumed that analagous methods may be applied to 3-component systems. -- 0. Knessl

Card 3/3

Country

: Czechoslovakia

B-8

Catogory=

: Thermodynamics. Thermochemistry. Equilibria.

Physico-Chemical Analysis. Phase Transitions. Abs. Jour. : Ref Zhur-Khimiya, No 6, 1959

18436

Author

Institut.

Title

Orig. Pub. :

: system; ternary constant was determined from data on liquid-vapor equilibrium of ternary system in the region where the influence of the term of Van Laar equation containing this constant is greatest (region wherein concentrations of two components are about equal and concentration of third component is low). A rapid method is described for calculating the activity coefficient in ternary system. Communication XVIII see RZhKhim, 1957, 53896. -- 0. Knessl.

Card: 2/2

สมัยผลเพลาสมเราสมเราหลังทั้ง

B-11

Czechoslovakia APPROVED FOR RELEASE: 06/13/2000 THEFA-REP86-06513R000513720017-

Bases.

: RZiCham., No.

23 1959, No.

81491

ABS. JOUR.

ROHTUA

: Fried, V.; Hala, E.; Pick, J.

TEST.

: Not given.

TITLE

: Viscosity of the Nonelectrolytic Solutions.

ORIG. PUB.


: Collect. Czechosl. Chem. Communs, 1959,

24, #2, 400-404.

ASSTRACT


: See RZKhim, 1959, #12, 41572.

CARD: 1/1




"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5



"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5



VITOVEC, J.; PRIED, V.

Solubility of acetylene in benzol, toluol, and p-xylene. Coll Cs Chem 25 no.6:1552-1556 Je '60. (EEAI 10:9)

1. Forschungsinstitut für synthetischen Kautschuk, Gottwaldov und Institut für physikalische Chemie, Technische Hochschule für Chemie, Prag.

(Acetylene) (Benzene) (Toluene) (Xylene)

FRIED, V.; VITOVEC, J.

Liquie-steam equilibrium. XXIII. Phase equilibrium in vinylacetylenebenzene, vinylacetylene-toluene, and vinylacetylene-p-xylene. Coll Cz Chem 25 no.6:1642-1648 Je *60. (EEAI 10:9)

1. Institut für Physikalische Chemie, Technische Hochschule für Chemie, Prag, und Forschungsinstitut für synthetischen Kautschuk, Gottwaldov.

(Butemyne) (Benzene) (Toluene) (Xylene) (Phase rule and equilibrium)

FRIED, V.; PICK, J.

Liquid vapor equilibria. Part 25: System phenol-acetophenone at reduced pressure. Coll Cz Chem 26 no.4:954-960 Ap '61.

1. Department of Physical Chemistry, Institute of Chemical Technology, Prague.

(Vapors) (Phenol) (Acetophenone)

NOVAK, J.; FRIED, V.; PICK, J.

Solubleness of carbon dioxide in water under various pressures and temperatures. Coll Cz Chem 26 no.9:2266-2270 '61.

1. Institut fur physikalische Chemie, Technische Hochschule fur Chemie, Prag.

(Carbon dioxide)

2

CZECHOSLOVAKIA

VESELY, F; FRIED, V; PICK, J.

Institute of Physical Chemistry of the Technical High School of Chemistry, Prague (for all)

Prague, Collection of Czechoslovak Chemical Communications, No 5, 1963, pp 1459-1466

"Equal Weight Fluidity-Fluidity in the System n-Butylacetate-Water-Phenol."

FRIED, V.; CAPKOVA, A.; SUSKA, J.

Liquid-vapor equilibrium. Pt. 31. Coll Cz Chem 28 no. 12: 3171-3179 D'63.

 Institut fur physikalische Chemie, Technische Hochschule fur Chemie, und Institut fur theoretische Grundlagen der chemischen Technik, Tschechoslowakische Akademie der Wissenschaften, Prag.

CAPKOVA, A.; FRIED, V.

Liquid-vapor equilibrium. Pt.30. Coll Cz Chem 28 no.8:2235-2239 Ag 163.

1. Institut für theoretische Grundlagen der chemischen Technik, Tschechoslowakische Akademie der Wissenschaften und Institut für physikalische Chemie, Technische Hochschule für Chemie, Trag.

CAPKOVA, A.; FRIED, V.

Liquid-vapor equilibrium in the tetrachloristRanc-frimethyleRlorosilans system. Coll Cz Chem 29 no.2:336-340 \pm 7-64.

1. Institute of Theoretical Principles of Chemical Technology, Higher School of Chemical Technology, Fragus.


LINEK, J.; FRIED, V.; FICK, J.

Liquid-vapor equilibrium. Fu.34, Co.1 Ca Smem 35 no.3:1352-1365 My 165.

1. Institute für physikalische Chemie, Hochschule Sur Chemie, Prague. Submitted October 22. 1964.

"APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000513720017-5



FRIEDBERGER, R. - Strojirenstvi - Vol. 5, no. 2, Feb. 1955.

Development of cyclone furnaces. p. 100.

SO: Monthly list of East European Accessions, (EEAL), LC, Vol. 4, No. 9, Sept. 1955 Uncl.

FRIEDBERGER, V., MUDr.; NECHANICKY, R., MUDr.

Fractures of the sternum. Acta chir. orthop. traum. cech. 23 no.3:121-123 June 56.

1. Z II. chirurgicke kliniky akademika J. Divise.

(STERNUM, fract.

management (Cz))

(FRACTURES,

sternum, management (Cz))